		YW
ication No.	Applicant(s)	
74,518	NAGAI ET AL.	
niner	Art Unit	
D WILSON	3723	
EMAINS) CLOSED in this ap er appropriate communication . This application is subject t	plication. If not include n will be mailed in due	ed course. THIS
niner.		
received. received in Application No ts have been received in this communication to file a reply of this application. Note the attached EXAMINER con(s) why the oath or declara- ubmitted. ratent Drawing Review (PTO andment / Comment or in the of should be written on the drawider according to 37 CFR 1.121 BIOLOGICAL MATERIAL	r complying with the reaction is deficient. -948) attached Office action of ings in the front (not the (d).	quirements IOTICE OF
6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amend	/ (PTO-413), ate ment/Comment	·
	EMAINS) CLOSED in this aper appropriate communication. This application is subject to MPEP 1308. Interpretation is sub	NAGAI ET AL. Art Unit D WILSON The cover sheet with the correspondence addr EMAINS) CLOSED in this application. If not include appropriate communication will be mailed in due. This application is subject to withdrawal from issuapplication is subject to withdrawal from issuapplication. S U.S.C. § 119(a)-(d) or (f). Treceived. Treceived in Application No This have been received in this national stage application application. Note the attached EXAMINER'S AMENDMENT or Note the attached EXAMINER'S AMENDMENT or Note (s) why the oath or declaration is deficient. Submitted. Patent Drawing Review (PTO-948) attached andment / Comment or in the Office action of should be written on the drawings in the front (not the der according to 37 CFR 1.121(d). BIOLOGICAL MATERIAL must be submitted. THE DEPOSIT OF BIOLOGICAL MATERIAL. 5. Notice of Informal Patent Application (PT 6. Interview Summary (PTO-413), Paper No./Mail Date 7. Examiner's Amendment/Comment 8. Examiner's Statement of Reasons for Allowed Amendment of the correspondence addressed and the correspondence and the correspondence addressed and the correspondence and the correspondence and the correspondence addressed and the correspondence and the corres

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) PRIMARY EXAMINER

Application/Control Number: 10/674,518

Art Unit: 3723

1

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: A clamp having a main body; a rotary drive; a pump mechanism; a cylinder mechanism; a retaining mechanism; and a toggle link in combination with the other claimed limitations.

a. The prior art references Pat. No 4529362 and 6471199 do not disclosed the claimed invention and there is no teaching nor motivation to combine the two in a 103 rejection because there is no teaching to put a rotary drive section actuated on a signal with a pump and cylinder mechanism with a retaining means which is not even mentioned by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LEE D WILSON whose telephone number is 703-305-4094. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JOSEPH HAIL can be reached on 703-308-2687. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/674,518 Page 3

Art Unit: 3723

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ldw

October 27, 2004

LEED. WILSON